ONDERSTEPOORT JOURNAL OF VETERINARY RESEARCH

Volume 76 • Numbers 1–4 • 2009

Author index

ABOGE, G.O.

Seroprevalence of *Cryptosporidium parvum* infection of dairy cows in three northern provinces of Thailand determined by enzyme-linked immunosorbent assay using recombinant antigen CpP23—T. INPANKAEW, S. JITTAPALAPONG, J. PHASUK, N. PINYOPANUWUT, W. CHIMNOI, C. KENGRADOMKIT, C. SUNANTA, G. ZHANG, G.O. ABOGE, Y. NISHIKAWA, I. IGARASHI & X. XUAN 161–165

ADELAIYE, A.B.

Responses of serum electrolytes of goats to twelve hours of road transportation during the hot-dry season in Nigeria, and the effect of pretreatment with ascorbic acid—J.O. AYO, N.S. MINKA, A.K.B. SACKEY & A.B. ADELAIYE 409–418

ALLSOPP, B.A.

Trends in the control of heartwater—B.A. ALLSOPP 81–88

AMANFU, W.

Contagious bovine pleuropneumonia (lungsickness) in Africa—W. AMANFU 13–17

ANOSA, V.O.

Comparative histopathology of the lymph nodes, spleen, liver and kidney in experimental ovine trypanosomosis—S.O. OMOTAINSE & V.O. ANOSA 377–383

ARNOT, L.F.

Molecular monitoring of African swine fever virus using surveys targeted at adult *Ornithodoros* ticks: a re-evaluation of Mkuze Game Reserve, South Africa—L.F. ARNOT, J.T. DU TOIT & A.D.S. BASTOS 385–392

AUSTIN, A.

Ecological parameters of *Lamproglena hoi* (Copepoda: Lernaeidae) infection on the Bushveld smallscale yellowfish, *Labeobarbus polylepis* (Boulenger, 1907)—A. AUSTIN & A. AVENANT-OLDEWAGE 227–234

AVENANT-OLDEWAGE, A.

Ecological parameters of *Lamproglena hoi* (Copepoda: Lernaeidae) infection on the Bushveld smallscale yellowfish, *Labeobarbus polylepis* (Boulenger, 1907)—A. AUSTIN & A. AVENANT-OLDEWAGE 227–234

AYO, J.O.

Responses of serum electrolytes of goats to twelve hours of road transportation during the hot-dry season in Nigeria, and the effect of pretreatment with ascorbic acid—J.O. AYO, N.S. MINKA, A.K.B. SACKEY & A.B. ADELAIYE 409–418

BAGLA, V.

Curtisia dentata (Cornaceae) leaf extracts and isolated compounds inhibit motility of parasitic and free-living nematodes—L.J. SHAI, E.S. BIZIMENYERA, V. BAGLA, L.J. McGAW & J.N. ELOFF 249–256

BAIPOLEDI, E.K.

A retrospective longitudinal study of animal and human rabies in Botswana 1989–2006—K.T. MOAGABO, K.B. MONYAME, E.K. BAIPOLEDI, M. LETSHWENYO, N. MAPITSE & J.M.K. HYERA 399–407

BANDA, Z.

Cryptosporidium infection in non-human hosts in Malawi—Z. BANDA, ROSELY A.B. NICHOLS, A.M. GRIMASON & H.V. SMITH 363–375

BARBET, A.F.

Persistence mechanisms in tick-borne diseases—A.F. BARBET 53–58

BASTOS, A.D.S.

Molecular monitoring of African swine fever virus using surveys targeted at adult *Ornithodoros* ticks: a re-evaluation of Mkuze Game Reserve, South Africa—L.F. ARNOT, J.T. DU TOIT & A.D.S. BASTOS 385–392

BIGALKE, R.D.

Theiler and the 'Spirit of Onderstepoort'—R.D. BIGALKE 3–7

BILKEI, G.

The effects of low levels of dietary trace minerals on the plasma levels, faecal excretion, health and performance of pigs in a hot African climate—M.H. BOMA & G. BILKEI 291–297

BIRYOMUMAISHO, S.

Detection of natural *Trypanosoma vivax* infections in pigs with microhaematocrit centrifugation and amplification of ITS1 rDNA—S. BIRYOMUMAISHO, S.E. MELVILLE, E. KATUNGUKA-RWAKISHAYA & G.W. LUBEGA 285–289

BIZIMENYERA, E.S.

Curtisia dentata (Cornaceae) leaf extracts and isolated compounds inhibit motility of parasitic and free-living nematodes—L.J. SHAI, E.S. BIZIMENYERA, V. BAGLA, L.J. McGAW & J.N. ELOFF 249–256

BOMA, M.H.

The effects of low levels of dietary trace minerals on the plasma levels, faecal excretion, health and performance of pigs in a hot African climate—M.H. BOMA & G. BILKEI 291–297

BOTHA, C.J.

Molasses as a possible cause of an "endocrine disruptive syndrome" in calves—M.S. MASGORET, C.J. BOTHA, J.G. MYBURGH, T.W. NAUDÉ, L. PROZESKY, V. NAIDOO, J.H. VAN WYK, E.J. POOL & G.E. SWAN 209–225

BRAGG, R.R.

Study on the efficacy and safety of different antigens and oil formulations of infectious coryza vaccines containing an NAD-independent strain of *Avibacterium paragallinarum*—B. DUNGU, B. BRETT, R. MacDONALD, S. DEVILLE, L. DUPUIS, J. THERON & R.R. BRAGG 299–309

BRETT, B.

Study on the efficacy and safety of different antigens and oil formulations of infectious coryza vaccines containing an NAD-independent strain of *Avibacterium paragallinarum*—B. DUNGU, B. BRETT, R. MacDONALD, S. DEVILLE, L. DUPUIS, J. THERON & R.R. BRAGG 299–309

BRÜCKNER, G.K.

The role of the World Organisation for Animal Health (OIE) to facilitate the international trade in animals and animal products—G.K. BRÜCKNER 141–146

CAMERON, C.M.

A brief history of botulism in South Africa—C.M. CAMERON 11–12

CHIMNOI, W.

Seroprevalence of *Cryptosporidium parvum* infection of dairy cows in three northern provinces of Thailand determined by enzyme-linked immunosorbent assay using recombinant antigen CpP23—T. INPANKAEW, S. JITTAPALAPONG, J. PHASUK, N. PINYOPANUWUT, W. CHIMNOI, C. KENGRADOMKIT, C. SUNANTA, G. ZHANG, G.O. ABOGE, Y. NISHIKAWA, I. IGARASHI & X. XUAN 161–165

CLARKE, F.

Ticks collected from birds in the northern provinces of South Africa, 2004–2006—G. HASLE, I.G. HORAK, G. GRIEVE, H.P. LEINAAS & F. CLARKE 167–175

CROLE, M.R.

Morphology of the tongue of the emu (*Dromaius novaehollandiae*). I. Gross anatomical features and topography—M.R. CROLE & J.T. SOLEY 335–345

Morphology of the tongue of the emu (*Dromaius novaehollandiae*). II. Histological features—M.R. CROLE & J.T. SOLEY 347–361

DE MATOS, C.

The comparative prevalence of five ixodid tick species infesting cattle and goats in Maputo Province, Mozambique—C. DE MATOS, C. SITOE, L. NEVES, J.O. NÖTHLING & I.G. HORAK 201–208

Species composition and geographic distribution of ticks infesting cattle, goats and dogs in a temperate and in a subtropical region of south-east Africa—I.G. HORAK, N. NYANGIWE, C. DE MATOS & L. NEVES 263–276

DEVILLE, S.

Study on the efficacy and safety of different antigens and oil formulations of infectious coryza vaccines containing an NAD-independent strain of *Avibacterium paragallinarum*—B. DUNGU, B. BRETT, R. MacDONALD, S. DEVILLE, L. DUPUIS, J. THERON & R.R. BRAGG 299–309

DORNY, P.

Prevalence of bovine cysticercosis and hydatidosis in Jimma municipal abattoir, South West Ethiopia—T. TOLOSA, W. TIGRE, G. TEKA & P. DORNY 323–326

DU PLESSIS, L.

Blood platelet counts, morphology and morphometry in lions, *Panthera leo*—L. DU PLESSIS 317–321

DU TOIT, J.T.

Molecular monitoring of African swine fever virus using surveys targeted at adult *Ornithodoros* ticks: a re-evaluation of Mkuze Game Reserve, South Africa—L.F. ARNOT, J.T. DU TOIT & A.D.S. BASTOS 385–392

DUNGU, B.

Study on the efficacy and safety of different antigens and oil formulations of infectious coryza vaccines containing an NAD-independent strain of *Avibacterium paragallinarum*—B. DUNGU, B. BRETT, R. MacDONALD, S. DEVILLE, L. DUPUIS, J. THERON & R.R. BRAGG 299–309

DUPUIS, L.

Study on the efficacy and safety of different antigens and oil formulations of infectious coryza vaccines containing an NAD-independent strain of *Avibacterium paragallinarum*—B. DUNGU, B. BRETT, R. MacDONALD, S. DEVILLE, L. DUPUIS, J. THERON & R.R. BRAGG 299–309

ELGHALI, A.

Ticks (Acari: Ixodidae) infesting camels (*Camelus dromedarius*) in Northern Sudan—A. ELGHALI & S.M. HASSAN . 177–185

ELOFF, J.N.

Curtisia dentata (Cornaceae) leaf extracts and isolated compounds inhibit motility of parasitic and free-living nematodes—L.J. SHAI, E.S. BIZIMENYERA, V. BAGLA, L.J. McGAW & J.N. ELOFF 249–256

ERASMUS, B.J.

African horsesickness—B.J. ERASMUS 97

GERDES,G.H.

Identification and partial sequencing of a crocodile poxvirus associated with deeply penetrating skin lesions in farmed Nile crocodiles, *Crocodylus niloticus*—F.W. HUCHZERMEYER, D.B. WALLACE, J.F. PUTTERILL & G.H. GERDES 311–316

GODDARD, A.

The effect of pyridoxal-5-phosphate on serum alanine aminotransferase activity in dogs suffering from canine babesiosis—E.C. MYBURGH & A. GODDARD 327–333

GOUS, T.A.

The pathology of tuberculosis caused by *Mycobacterium tuberculosis* in a herd of semi-free-ranging springbok (*Antidorcas marsupialis*)—T.A. GOUS & M.C. WILLIAMS 419–441

GRIEVE, G.

Ticks collected from birds in the northern provinces of South Africa, 2004–2006—G. HASLE, I.G. HORAK, G. GRIEVE, H.P. LEINAAS & F. CLARKE 167–175

GRIMASON, A.M.

Cryptosporidium infection in non-human hosts in Malawi—Z. BANDA, ROSELY A.B. NICHOLS, A.M. GRIMASON & H.V. SMITH 363–375

HASLE, G.

Ticks collected from birds in the northern provinces of South Africa, 2004–2006—G. HASLE, I.G. HORAK, G. GRIEVE, H.P. LEINAAS & F. CLARKE 167–175

HASSAN, S.M.

Ticks (Acari: Ixodidae) infesting camels (*Camelus dromedarius*) in Northern Sudan—A. ELGHALI & S.M. HASSAN 177–185

HORAK, I.G.

A century of tick taxonomy in South Africa—I.G. HORAK 69–74

Ticks collected from birds in the northern provinces of South Africa, 2004–2006—G. HASLE, I.G. HORAK, G. GRIEVE, H.P. LEINAAS & F. CLARKE 167–175

The comparative prevalence of five ixodid tick species infesting cattle and goats in Maputo Province, Mozambique—C. DE MATOS, C. SITOE, L. NEVES, J.O. NÖTHLING & I.G. HORAK 201–208

Species composition and geographic distribution of ticks infesting cattle, goats and dogs in a temperate and in a sub-tropical region of south-east Africa—I.G. HORAK, N. NYANGIWE, C. DE MATOS & L. NEVES 263–276

HUCHZERMEYER, F.W.

Identification and partial sequencing of a crocodile poxvirus associated with deeply penetrating skin lesions in farmed Nile crocodiles, *Crocodylus niloticus*—F.W. HUCHZERMEYER, D.B. WALLACE, J.F. PUTTERILL & G.H. GERDES. 311–316

HULMAN, B.

Livestock policy and trade issues in SADC—B. HULMAN 147–153

HYERA, J.M.K.

A retrospective longitudinal study of animal and human rabies in Botswana 1989–2006—K.T. MOAGABO, K.B. MONYAME, E.K. BAIPOLEDI, M. LETSHWENYO, N. MAPITSE & J.M.K. HYERA 399–407

IGARASHI, I.

Seroprevalence of *Cryptosporidium parvum* infection of dairy cows in three northern provinces of Thailand determined by enzyme-linked immunosorbent assay using recombinant antigen CpP23—T. INPANKAEW, S. JITTAPALAPONG, J. PHASUK, N. PINYOPANUWUT, W. CHIMNOI, C. KENGRADOMKIT, C. SUNANTA, G. ZHANG, G.O. ABOGE, Y. NISHIKAWA, I. IGARASHI & X. XUAN 161–165

ILEMOBADE, A.A.

Tsetse and trypanosomosis in Africa: The challenges, the opportunities—A.A. ILEMOBADE 35–40

INPANKAEW, T.

Seroprevalence of *Cryptosporidium parvum* infection of dairy cows in three northern provinces of Thailand determined by enzyme-linked immunosorbent assay using recombinant antigen CpP23—T. INPANKAEW, S. JITTAPALAPONG, J. PHASUK, N. PINYOPANUWUT, W. CHIMNOI, C. KENGRADOMKIT, C. SUNANTA, G. ZHANG, G.O. ABOGE, Y. NISHIKAWA, I. IGARASHI & X. XUAN 161–165

JITTAPALAPONG, S.

Seroprevalence of *Cryptosporidium parvum* infection of dairy cows in three northern provinces of Thailand determined by enzyme-linked immunosorbent assay using recombinant antigen CpP23—T. INPANKAEW, S. JITTAPALAPONG, J. PHASUK, N. PINYOPANUWUT, W. CHIMNOI, C. KENGRADOMKIT, C. SUNANTA, G. ZHANG, G.O. ABOGE, Y. NISHIKAWA, I. IGARASHI & X. XUAN 161–165

KATUNGUKA-RWAKISHAYA, E.

Detection of natural *Trypanosoma vivax* infections in pigs with microhaematocrit centrifugation and amplification of ITS1 rDNA—S. BIRYOMUMAISHO, S.E. MELVILLE, E. KATUNGUKA-RWAKISHAYA & G.W. LUBEGA 285–289

KELLERMAN, T.S.

Poisonous plants—T.S. KELLERMAN 19–23

KENGRADOMKIT, C.

Seroprevalence of *Cryptosporidium parvum* infection of dairy cows in three northern provinces of Thailand determined by enzyme-linked immunosorbent assay using recombinant antigen CpP23—T. INPANKAEW, S. JITTAPALAPONG,

J. PHASUK, N. PINYOPANUWUT, W. CHIMNOI, C. KENGRADOMKIT, C. SUNANTA, G. ZHANG, G.O. ABOGE, Y. NISHIKAWA, I. IGARASHI & X. XUAN 161–165

KER, J.

The Brody effect induced by premature ventricular complexes in the ovine heart—J. KER, E.C. WEBB & D. VAN PAPENDORP 443–448

KRIEK, N.P.J.

Veterinary education in Africa: Current and future perspectives—G.E. SWAN & N.P.J. KRIEK 105–114

LE ROUX, K.

Evaluation of a rapid immunodiagnostic test kit for detection of African lyssaviruses from brain material—W. MARKOTTER, D. YORK, C.T. SABETA, W. SHUMBA, G. ZULU, K. LE ROUX & L.H. NEL 257–262

LEINAAS, H.P.

Ticks collected from birds in the northern provinces of South Africa, 2004–2006—G. HASLE, I.G. HORAK, G. GRIEVE, H.P. LEINAAS & F. CLARKE 167–175

LETSHWENYO, M.

A retrospective longitudinal study of animal and human rabies in Botswana 1989–2006—K.T. MOAGABO, K.B. MONYAME, E.K. BAIPOLEDI, M. LETSHWENYO, N. MAPITSE & J.M.K. HYERA 399–407

LUBEGA, G.W.

Detection of natural *Trypanosoma vivax* infections in pigs with microhaematocrit centrifugation and amplification of ITS1 rDNA—S. BIRYOMUMAISHO, S.E. MELVILLE, E. KATUNGUKA-RWAKISHAYA & G.W. LUBEGA 285–289

LUUS-POWELL, WILMIEN J.

Report on some monogenean and clinostomid infestations of freshwater fish and waterbird hosts in Middle Letaba Dam, Limpopo Province, South Africa—P.A.S. OLIVIER, WILMIEN J. LUUS-POWELL & J.E. SAAYMAN 187–199

MacDONALD, R.

Study on the efficacy and safety of different antigens and oil formulations of infectious coryza vaccines containing an NAD-independent strain of *Avibacterium paragallinarum*—B. DUNGU, B. BRETT, R. MacDONALD, S. DEVILLE, L. DUPUIS, J. THERON & R.R. BRAGG 299–309

MAKAYA, P.V.

Tick infestation, and udder and teat damage in selected cattle herds of Matabeleland South, Zimbabwe—D.N. NDHLOVU, P.V. MAKAYA & B.L. PENZHORN 235–248

MAPITSE, N.

A retrospective longitudinal study of animal and human rabies in Botswana 1989–2006—K.T. MOAGABO, K.B. MONYAME, E.K. BAIPOLEDI, M. LETSHWENYO, N. MAPITSE & J.M.K. HYERA 399–407

MARINER, J.C.

More appropriate disease control policies for the developing world—J.C. MARINER 135–140

MARKOTTER, W.

Evaluation of a rapid immunodiagnostic test kit for detection of African lyssaviruses from brain material—W. MARKOTTER, D. YORK, C.T. SABETA, W. SHUMBA, G. ZULU, K. LE ROUX & L.H. NEL 257–262

MARWICK, C.

The future of private veterinary practice in South Africa—C. MARWICK 123–125

MASGORET, M.S.

Molasses as a possible cause of an "endocrine disruptive syndrome" in calves—M.S. MASGORET, C.J. BOTHA, J.G. MYBURGH, T.W. NAUDÉ, L. PROZESKY, V. NAIDOO, J.H. VAN WYK, E.J. POOL & G.E. SWAN 209–225

MASIKA, P.J.

Traditional remedies used for the treatment of cattle wounds and myiasis in Amatola Basin, Eastern Cape Province, South Africa—O.T. SOYELU & P.J. MASIKA 393–397

MCGAW, L.J.

Curtisia dentata (Cornaceae) leaf extracts and isolated compounds inhibit motility of parasitic and free-living nematodes—L.J. SHAI, E.S. BIZIMENYERA, V. BAGLA, L.J. McGAW & J.N. ELOFF 249–256

McKEEVER, D.

Trends in the control of theileriosis in sub-Saharan Africa—D. McKEEVER 51

MELVILLE, S.E.

Detection of natural *Trypanosoma vivax* infections in pigs with microhaematocrit centrifugation and amplification of ITS1 rDNA—S. BIRYOMUMAISHO, S.E. MELVILLE, E. KATUNGUKA-RWAKISHAYA & G.W. LUBEGA 285–289

MINKA, N.S.

Responses of serum electrolytes of goats to twelve hours of road transportation during the hot-dry season in Nigeria, and the effect of pretreatment with ascorbic acid—J.O. AYO, N.S. MINKA, A.K.B. SACKEY & A.B. ADELAIYE 409–418

MITEMA, E.S.

Improved management of drugs, hormones and pesticides in Africa—E.S. MITEMA 155–159

MOAGABO. K.T.

A retrospective longitudinal study of animal and human rabies in Botswana 1989–2006—K.T. MOAGABO, K.B. MONYAME, E.K. BAIPOLEDI, M. LETSHWENYO, N. MAPITSE & J.M.K. HYERA 399–407

MODISANE, B.M.

Field services: Eradication and control of animal diseases—B.M. MODISANE 115–121

MONYAME, K.B.

A retrospective longitudinal study of animal and human rabies in Botswana 1989–2006—K.T. MOAGABO, K.B. MONYAME, E.K. BAIPOLEDI, M. LETSHWENYO, N. MAPITSE & J.M.K. HYERA 399–407

MYBURGH, E.C.

The effect of pyridoxal-5-phosphate on serum alanine aminotransferase activity in dogs suffering from canine babesiosis—E.C. MYBURGH & A. GODDARD 327–333

MYBURGH, J.G.

Molasses as a possible cause of an "endocrine disruptive syndrome" in calves—M.S. MASGORET, C.J. BOTHA, J.G. MYBURGH, T.W. NAUDÉ, L. PROZESKY, V. NAIDOO, J.H. VAN WYK, E.J. POOL & G.E. SWAN 209–225

NAIDOO, V.

Molasses as a possible cause of an "endocrine disruptive syndrome" in calves—M.S. MASGORET, C.J. BOTHA, J.G. MYBURGH, T.W. NAUDÉ, L. PROZESKY, V. NAIDOO, J.H. VAN WYK, E.J. POOL & G.E. SWAN 209–225

NAUDÉ, T.W.

Molasses as a possible cause of an "endocrine disruptive syndrome" in calves—M.S. MASGORET, C.J. BOTHA, J.G. MYBURGH, T.W. NAUDÉ, L. PROZESKY, V. NAIDOO, J.H. VAN WYK, E.J. POOL & G.E. SWAN 209–225

NDHLOVU, D.N.

Tick infestation, and udder and teat damage in selected cattle herds of Matabeleland South, Zimbabwe—D.N. NDHLOVU, P.V. MAKAYA & B.L. PENZHORN 235–248

NEL, L.H.

Evaluation of a rapid immunodiagnostic test kit for detection of African lyssaviruses from brain material—W. MARKOTTER, D. YORK, C.T. SABETA, W. SHUMBA, G. ZULU, K. LE ROUX & L.H. NEL 257–262

NEVES, L.

The comparative prevalence of five ixodid tick species infesting cattle and goats in Maputo Province, Mozambique—C. DE MATOS, C. SITOE, L. NEVES, J.O. NÖTHLING & I.G. HORAK 201–208

Species composition and geographic distribution of ticks infesting cattle, goats and dogs in a temperate and in a subtropical region of south-east Africa—I.G. HORAK, N. NYANGIWE, C. DE MATOS & L. NEVES 263–276

NEVILL, E.M.

Description and comparison of the pupae of a further two *Culicoides* (*Avaritia*) species from the dung of large herbivores in South Africa (Diptera: Ceratopogonidae)—HILDA NEVILL, E.M. NEVILL & G.J. VENTER 277–284

NEVILL, HILDA

Description and comparison of the pupae of a further two *Culicoides* (*Avaritia*) species from the dung of large herbivores in South Africa (Diptera: Ceratopogonidae)—HILDA NEVILL, E.M. NEVILL & G.J. VENTER 277–284

NICHOLS, ROSELY A.B.

Cryptosporidium infection in non-human hosts in Malawi—Z. BANDA, ROSELY A.B. NICHOLS, A.M. GRIMASON & H.V. SMITH 363–375

NISHIKAWA, Y.

Seroprevalence of *Cryptosporidium parvum* infection of dairy cows in three northern provinces of Thailand determined by enzyme-linked immunosorbent assay using recombinant antigen CpP23—T. INPANKAEW, S. JITTAPALAPONG, J. PHASUK, N. PINYOPANUWUT, W. CHIMNOI, C. KENGRADOMKIT, C. SUNANTA, G. ZHANG, G.O. ABOGE, Y. NISHIKAWA, I. IGARASHI & X. XUAN 161–165

NÖTHLING, J.O.

The comparative prevalence of five ixodid tick species infesting cattle and goats in Maputo Province, Mozambique—C. DE MATOS, C. SITOE, L. NEVES, J.O. NÖTHLING & I.G. HORAK 201–208

NYANGIWE, N.

Species composition and geographic distribution of ticks infesting cattle, goats and dogs in a temperate and in a sub-tropical region of south-east Africa—I.G. HORAK, N. NYANGIWE, C. DE MATOS & L. NEVES 263–276

OLIVIER, P.A.S.

Report on some monogenean and clinostomid infestations of freshwater fish and waterbird hosts in Middle Letaba Dam, Limpopo Province, South Africa—P.A.S. OLIVIER, WILMIEN J. LUUS-POWELL & J.E. SAAYMAN 187–199

OMOTAINSE, S.O.

Comparative histopathology of the lymph nodes, spleen, liver and kidney in experimental ovine trypanosomosis—S.O. OMOTAINSE & V.O. ANOSA 377–383

PALMER, G.H.

Sir Arnold Theiler and the discovery of anaplasmosis: A centennial perspective—G.H. PALMER 75–79

PENRITH, M-L.

African swine fever—M-L. PENRITH 91–95

PENZHORN, B.L.

Tick infestation, and udder and teat damage in selected cattle herds of Matabeleland South, Zimbabwe—D.N. NDHLOVU, P.V. MAKAYA & B.L. PENZHORN 235–248

PERRY, B.D.

Economic impacts of tick-borne diseases in Africa—B.D. PERRY 49

PHASUK, J.

Seroprevalence of *Cryptosporidium parvum* infection of dairy cows in three northern provinces of Thailand determined by enzyme-linked immunosorbent assay using recombinant antigen CpP23—T. INPANKAEW, S. JITTAPALAPONG, J. PHASUK, N. PINYOPANUWUT, W. CHIMNOI, C. KENGRADOMKIT, C. SUNANTA, G. ZHANG, G.O. ABOGE, Y. NISHIKAWA, I. IGARASHI & X. XUAN 161–165

PINYOPANUWUT, N.

Seroprevalence of *Cryptosporidium parvum* infection of dairy cows in three northern provinces of Thailand determined by enzyme-linked immunosorbent assay using recombinant antigen CpP23—T. INPANKAEW, S. JITTAPALAPONG, J. PHASUK, N. PINYOPANUWUT, W. CHIMNOI, C. KENGRADOMKIT, C. SUNANTA, G. ZHANG, G.O. ABOGE, Y. NISHIKAWA, I. IGARASHI & X. XUAN 161–165

POOL, E.J.

Molasses as a possible cause of an "endocrine disruptive syndrome" in calves—M.S. MASGORET, C.J. BOTHA, J.G. MYBURGH, T.W. NAUDÉ, L. PROZESKY, V. NAIDOO, J.H. VAN WYK, E.J. POOL & G.E. SWAN 209–225

PROZESKY, L.

Molasses as a possible cause of an "endocrine disruptive syndrome" in calves—M.S. MASGORET, C.J. BOTHA, J.G. MYBURGH, T.W. NAUDÉ, L. PROZESKY, V. NAIDOO, J.H. VAN WYK, E.J. POOL & G.E. SWAN 209–225

PUTTERILL, J.F.

Identification and partial sequencing of a crocodile poxvirus associated with deeply penetrating skin lesions in farmed Nile crocodiles, *Crocodylus niloticus*—F.W. HUCHZERMEYER, D.B. WALLACE, J.F. PUTTERILL & G.H. GERDES . 311–316

ROEDER, P.

Rinderpest: An historical overview—P. ROEDER 9

SAAYMAN, J.E.

Report on some monogenean and clinostomid infestations of freshwater fish and waterbird hosts in Middle Letaba Dam, Limpopo Province, South Africa—P.A.S. OLIVIER, WILMIEN J. LUUS-POWELL & J.E. SAAYMAN 187–199

SABETA, C.T.

Evaluation of a rapid immunodiagnostic test kit for detection of African lyssaviruses from brain material—W. MARKOTTER, D. YORK, C.T. SABETA, W. SHUMBA, G. ZULU, K. LE ROUX & L.H. NEL 257–262

SACKEY, A.K.B.

Responses of serum electrolytes of goats to twelve hours of road transportation during the hot-dry season in Nigeria, and the effect of pretreatment with ascorbic acid—J.O. AYO, N.S. MINKA, A.K.B. SACKEY & A.B. ADELAIYE 409–418

SCHOEMAN, J.P.

Canine babesiosis—J.P. SCHOEMAN 59–66

SHAI, L.J.

Curtisia dentata (Cornaceae) leaf extracts and isolated compounds inhibit motility of parasitic and free-living nematodes—L.J. SHAI, E.S. BIZIMENYERA, V. BAGLA, L.J. McGAW & J.N. ELOFF 249–256

SHAW, A.P.M.

Assessing the economics of animal trypanosomosis in Africa—history and current perspectives—A.P.M. SHAW 27–32

SHUMBA, W.

Evaluation of a rapid immunodiagnostic test kit for detection of African lyssaviruses from brain material—W. MARKOTTER, D. YORK, C.T. SABETA, W. SHUMBA, G. ZULU, K. LE ROUX & L.H. NEL 257–262

SITOE, C.

The comparative prevalence of five ixodid tick species infesting cattle and goats in Maputo Province, Mozambique—C. DE MATOS, C. SITOE, L. NEVES, J.O. NÖTHLING & I.G. HORAK 201–208

SMITH, H.V.

Cryptosporidium infection in non-human hosts in Malawi—Z. BANDA, ROSELY A.B. NICHOLS, A.M. GRIMASON & H.V. SMITH 363–375

SOLEY, J.T.

Morphology of the tongue of the emu (*Dromaius novaehollandiae*). I. Gross anatomical features and topography—M.R. CROLE & J.T. SOLEY 335–345

Morphology of the tongue of the emu (*Dromaius novaehollandiae*). II. Histological features—M.R. CROLE & J.T. SOLEY 347–361

SOYELU, O.T.

Traditional remedies used for the treatment of cattle wounds and myiasis in Amatola Basin, Eastern Cape Province, South Africa—O.T. SOYELU & P.J. MASIKA 393–397

SUNANTA, C.

Seroprevalence of *Cryptosporidium parvum* infection of dairy cows in three northern provinces of Thailand determined by enzyme-linked immunosorbent assay using recombinant antigen CpP23—T. INPANKAEW, S. JITTAPALAPONG, J. PHASUK, N. PINYOPANUWUT, W. CHIMNOI, C. KENGRADOMKIT, C. SUNANTA, G. ZHANG, G.O. ABOGE, Y. NISHIKAWA, I. IGARASHI & X. XUAN 161–165

SWAN, G.E.

Veterinary education in Africa: Current and future perspectives—G.E. SWAN & N.P.J. KRIEK 105–114

Molasses as a possible cause of an "endocrine disruptive syndrome" in calves—M.S. MASGORET, C.J. BOTHA, J.G. MYBURGH, T.W. NAUDÉ, L. PROZESKY, V. NAIDOO, J.H. VAN WYK, E.J. POOL & G.E. SWAN 209–225

TAIT, A.

The genetics of African trypanosomes—A. TAIT 33

TEKA, G.

Prevalence of bovine cysticercosis and hydatidosis in Jimma municipal abattoir, South West Ethiopia—T. TOLOSA, W. TIGRE, G. TEKA & P. DORNY 323–326

THERON, J.

Study on the efficacy and safety of different antigens and oil formulations of infectious coryza vaccines containing an NAD-independent strain of *Avibacterium paragallinarum*—B. DUNGU, B. BRETT, R. MacDONALD, S. DEVILLE, L. DUPUIS, J. THERON & R.R. BRAGG 299–309

THOMSON, G.R.

Currently important animal disease management issues in sub-Saharan Africa—G.R. THOMSON 129–134

TIGRE, W.

Prevalence of bovine cysticercosis and hydatidosis in Jimma municipal abattoir, South West Ethiopia—T. TOLOSA, W. TIGRE, G. TEKA & P. DORNY 323–326

TOLOSA, T.

Prevalence of bovine cysticercosis and hydatidosis in Jimma municipal abattoir, South West Ethiopia—T. TOLOSA, W. TIGRE, G. TEKA & P. DORNY 323–326

VALE, G.A.

Prospects for controlling trypanosomosis—G.A. VALE 41–45

VAN PAPENDORP, D.

The Brody effect induced by premature ventricular complexes in the ovine heart—J. KER, E.C. WEBB & D. VAN PAPENDORP 443–448

VAN WYK, J.H.

Molasses as a possible cause of an "endocrine disruptive syndrome" in calves—M.S. MASGORET, C.J. BOTHA, J.G. MYBURGH, T.W. NAUDÉ, L. PROZESKY, V. NAIDOO, J.H. VAN WYK, E.J. POOL & G.E. SWAN 209–225

VENTER, G.J.

Description and comparison of the pupae of a further two *Culicoides* (*Avaritia*) species from the dung of large herbivores in South Africa (Diptera: Ceratopogonidae)—HILDA NEVILL, E.M. NEVILL & G.J. VENTER 277–284

VERWOERD, D.W.

History of bluetongue research at Onderstepoort—D.W. VERWOERD 99–102

WALLACE, D.B.

Identification and partial sequencing of a crocodile poxvirus associated with deeply penetrating skin lesions in farmed Nile crocodiles, *Crocodylus niloticus*—F.W. HUCHZERMEYER, D.B. WALLACE, J.F. PUTTERILL & G.H. GERDES 311–316

WEBB, E.C.

The Brody effect induced by premature ventricular complexes in the ovine heart—J. KER, E.C. WEBB & D. VAN PAPENDORP 443–448

WILLIAMS, M.C.

The pathology of tuberculosis caused by *Mycobacterium tuberculosis* in a herd of semi-free-ranging springbok (*Antidorcas marsupialis*)—T.A. GOUS & M.C. WILLIAMS 419–441

XUAN, X.

Seroprevalence of *Cryptosporidium parvum* infection of dairy cows in three northern provinces of Thailand determined by enzyme-linked immunosorbent assay using recombinant antigen CpP23—T. INPANKAEW, S. JITTAPALAPONG, J. PHASUK, N. PINYOPANUWUT, W. CHIMNOI, C. KENGRADOMKIT, C. SUNANTA, G. ZHANG, G.O. ABOGE, Y. NISHIKAWA, I. IGARASHI & X. XUAN 161–165

YORK, D.

Evaluation of a rapid immunodiagnostic test kit for detection of African lyssaviruses from brain material—W. MARKOTTER, D. YORK, C.T. SABETA, W. SHUMBA, G. ZULU, K. LE ROUX & L.H. NEL 257–262

ZHANG, G.

Seroprevalence of *Cryptosporidium parvum* infection of dairy cows in three northern provinces of Thailand determined by enzyme-linked immunosorbent assay using recombinant antigen CpP23—T. INPANKAEW, S. JITTAPALAPONG,

J. PHASUK, N. PINYOPANUWUT, W. CHIMNOI, C. KENGRADOMKIT, C. SUNANTA, G. ZHANG, G.O. ABOGE, Y. NISHIKAWA, I. IGARASHI & X. XUAN 161–165

ZULU, G.

Evaluation of a rapid immunodiagnostic test kit for detection of African lyssaviruses from brain material—W. MARKOTTER, D. YORK, C.T. SABETA, W. SHUMBA, G. ZULU, K. LE ROUX & L.H. NEL 257–262

ONDERSTEPOORT JOURNAL OF VETERINARY RESEARCH

Volume 76 • Numbers 1–4 • 2009

Subject index

Acari: Ixodidae

Ticks (Acari: Ixodidae) infesting camels (*Camelus dromedarius*) in Northern Sudan—A. ELGHALI & S.M. HASSAN .. 177–185

Africa

Contagious bovine pleuropneumonia (lungsickness) in Africa—W. AMANFU 13–17

Economic impacts of tick-borne diseases in Africa—B.D. PERRY 49

Trends in the control of theileriosis in sub-Saharan Africa—D. McKEEVER 51

Veterinary education in Africa: Current and future perspectives—G.E. SWAN & N.P.J. KRIEK 105–114

Currently important animal disease management issues in sub-Saharan Africa—G.R. THOMSON 129–134

Improved management of drugs, hormones and pesticides in Africa—E.S. MITEMA 155–159

Evaluation of a rapid immunodiagnostic test kit for detection of African lyssaviruses from brain material—W. MARKOTTER, D. YORK, C.T. SABETA, W. SHUMBA, G. ZULU, K. LE ROUX & L.H. NEL 257–262

African horsesickness (AHS)

African horsesickness—B.J. ERASMUS 97

African swine fever (ASF)

African swine fever—M-L. PENRITH 91–95

Molecular monitoring of African swine fever virus using surveys targeted at adult *Ornithodoros* ticks: a re-evaluation of Mkuze Game Reserve, South Africa—L.F. ARNOT, J.T. DU TOIT & A.D.S. BASTOS 385–392

Alanine aminotransferase

The effect of pyridoxal-5-phosphate on serum alanine aminotransferase activity in dogs suffering from canine babesiosis—E.C. MYBURGH & A. GODDARD 327–333

***Amblyomma* sp.**

Ticks collected from birds in the northern provinces of South Africa, 2004–2006—G. HASLE, I.G. HORAK, G. GRIEVE, H.P. LEINAAS & F. CLARKE 167–175

The comparative prevalence of five ixodid tick species infesting cattle and goats in Maputo Province, Mozambique—C. DE MATOS, C. SITOE, L. NEVES, J.O. NÖTHLING & I.G. HORAK 201–208

Tick infestation, and udder and teat damage in selected cattle herds of Matabeleland South, Zimbabwe—D.N. NDHLOVU, P.V. MAKAYA & B.L. PENZHORN 235–248

Species composition and geographic distribution of ticks infesting cattle, goats and dogs in a temperate and in a subtropical region of south-east Africa—I.G. HORAK, N. NYANGIWE, C. DE MATOS & L. NEVES 263–276

Anaplasmosis

Persistence mechanisms in tick-borne diseases—A.F. BARBET 53–58

Sir Arnold Theiler and the discovery of anaplasmosis: A centennial perspective—G.H. PALMER 75–79

Animal disease management

Field services: Eradication and control of animal diseases—B.M. MODISANE 115–121

Currently important animal disease management issues in sub-Saharan Africa—G.R. THOMSON 129–134

Animal health management

Field services: Eradication and control of animal diseases—B.M. MODISANE 115–121

Veterinary education in Africa: Current and future perspectives—G.E. SWAN & N.P.J. KRIEK 105–114

The future of private veterinary practice in South Africa—C. MARWICK 123–125

Anorexia

The effect of pyridoxal-5-phosphate on serum alanine aminotransferase activity in dogs suffering from canine babesiosis—E.C. MYBURGH & A. GODDARD 327–333

Anthelmintics

Curtisia dentata (Cornaceae) leaf extracts and isolated compounds inhibit motility of parasitic and free-living nematodes—L.J. SHAI, E.S. BIZIMENYERA, V. BAGLA, L.J. McGAW & J.N. ELOFF 249–256

***Antidorcas marsupialis* (springbok)**

The pathology of tuberculosis caused by *Mycobacterium tuberculosis* in a herd of semi-free-ranging springbok (*Antidorcas marsupialis*)—T.A. GOUS & M.C. WILLIAMS 419–441

Ascorbic acid

Responses of serum electrolytes of goats to twelve hours of road transportation during the hot-dry season in Nigeria, and the effect of pretreatment with ascorbic acid—J.O. AYO, N.S. MINKA, A.K.B. SACKEY & A.B. ADELAIYE 409–418

Avaritia

Description and comparison of the pupae of a further two *Culicoides* (*Avaritia*) species from the dung of large herbivores in South Africa (Diptera: Ceratopogonidae)—HILDA NEVILL, E.M. NEVILL & G.J. VENTER 277–284

Avibacterium paragallinarum

Study on the efficacy and safety of different antigens and oil formulations of infectious coryza vaccines containing an NAD-independent strain of *Avibacterium paragallinarum*—B. DUNGU, B. BRETT, R. MacDONALD, S. DEVILLE, L. DUPUIS, J. THERON & R.R. BRAGG 299–309

Babesiosis

Persistence mechanisms in tick-borne diseases—A.F. BARBET 53–58

Canine babesiosis—J.P. SCHOEMAN 59–66

The effect of pyridoxal-5-phosphate on serum alanine aminotransferase activity in dogs suffering from canine babesiosis—E.C. MYBURGH & A. GODDARD 327–333

Betulinic acid

Curtisia dentata (Cornaceae) leaf extracts and isolated compounds inhibit motility of parasitic and free-living nematodes—L.J. SHAI, E.S. BIZIMENYERA, V. BAGLA, L.J. McGAW & J.N. ELOFF 249–256

Birds

Ticks collected from birds in the northern provinces of South Africa, 2004–2006—G. HASLE, I.G. HORAK, G. GRIEVE, H.P. LEINAAS & F. CLARKE 167–175

Report on some monogenean and clinostomid infestations of freshwater fish and waterbird hosts in Middle Letaba Dam, Limpopo Province, South Africa—P.A.S. OLIVIER, WILMIEN J. LUUS-POWELL & J.E. SAAYMAN 187–199

Blood platelet count

Identification and partial sequencing of a crocodile poxvirus associated with deeply penetrating skin lesions in farmed Nile crocodiles, *Crocodylus niloticus*—F.W. HUCHZERMEYER, D.B. WALLACE, J.F. PUTTERILL & G.H. GERDES .. 311–316

Bluetongue

History of bluetongue research at Onderstepoort—D.W. VERWOERD 99–102

Botswana

A retrospective longitudinal study of animal and human rabies in Botswana 1989–2006—K.T. MOAGABO, K.B. MONYAME, E.K. BAIPOLEDI, M. LETSHWENYO, N. MAPITSE & J.M.K. HYERA 399–407

Botulism

A brief history of botulism in South Africa—C.M. CAMERON 11–12

Brody effect

The Brody effect induced by premature ventricular complexes in the ovine heart—J. KER, E.C. WEBB & D. VAN PAPENDORP 443–448

C-3 serovar

Study on the efficacy and safety of different antigens and oil formulations of infectious coryza vaccines containing an NAD-independent strain of *Avibacterium paragallinarum*—B. DUNGU, B. BRETT, R. MacDONALD, S. DEVILLE, L. DUPUIS, J. THERON & R.R. BRAGG 299–309

***Camelus dromedarius* (camels)**

Ticks (Acari: Ixodidae) infesting camels (*Camelus dromedarius*) in Northern Sudan—A. ELGHALI & S.M. HASSAN .. 177–185

Cattle

Contagious bovine pleuropneumonia (lungsickness) in Africa—W. AMANFU 13–17

The comparative prevalence of five ixodid tick species infesting cattle and goats in Maputo Province, Mozambique—C. DE MATOS, C. SITOE, L. NEVES, J.O. NÖTHLING & I.G. HORAK 201–208

Molasses as a possible cause of an "endocrine disruptive syndrome" in calves—M.S. MASGORET, C.J. BOTHA, J.G. MYBURGH, T.W. NAUDÉ, L. PROZESKY, V. NAIDOO, J.H. VAN WYK, E.J. POOL & G.E. SWAN 209–225

Tick infestation, and udder and teat damage in selected cattle herds of Matabeleland South, Zimbabwe—D.N. NDHLOVU, P.V. MAKAYA & B.L. PENZHORN 235–248

Species composition and geographic distribution of ticks infesting cattle, goats and dogs in a temperate and in a subtropical region of south-east Africa—I.G. HORAK, N. NYANGIWE, C. DE MATOS & L. NEVES 263–276

Prevalence of bovine cysticercosis and hydatidosis in Jimma municipal abattoir, South West Ethiopia—T. TOLOSA, W. TIGRE, G. TEKA & P. DORNY 323–326

Cryptosporidium infection in non-human hosts in Malawi—Z. BANDA, ROSELY A.B. NICHOLS, A.M. GRIMASON & H.V. SMITH 363–375

Traditional remedies used for the treatment of cattle wounds and myiasis in Amatola Basin, Eastern Cape Province, South Africa—O.T. SOYELU & P.J. MASIKA 393–397

Cestodes

Prevalence of bovine cysticercosis and hydatidosis in Jimma municipal abattoir, South West Ethiopia—T. TOLOSA, W. TIGRE, G. TEKA & P. DORNY 323–326

Chickens

Study on the efficacy and safety of different antigens and oil formulations of infectious coryza vaccines containing an NAD-independent strain of *Avibacterium paragallinarum*—B. DUNGU, B. BRETT, R. MacDONALD, S. DEVILLE, L. DUPUIS, J. THERON & R.R. BRAGG 299–309

Clinostomidae

Report on some monogenean and clinostomid infestations of freshwater fish and waterbird hosts in Middle Letaba Dam, Limpopo Province, South Africa—P.A.S. OLIVIER, WILMIEN J. LUUS-POWELL & J.E. SAAYMAN 187–199

Comparative pathology

Comparative histopathology of the lymph nodes, spleen, liver and kidney in experimental ovine trypanosomosis—S.O. OMOTAINSE & V.O. ANOSA 377–383

Contagious bovine pleuropneumonia (CBPP)

Contagious bovine pleuropneumonia (lungsickness) in Africa—W. AMANFU 13–17

Copepoda

Ecological parameters of *Lamproglena hoi* (Copepoda: Lernaeidae) infection on the Bushveld smallscale yellowfish, *Labeobarbus polylepis* (Boulenger, 1907)—A. AUSTIN & A. AVENANT-OLDEWAGE 227–234

Coryza

Study on the efficacy and safety of different antigens and oil formulations of infectious coryza vaccines containing an NAD-independent strain of *Avibacterium paragallinarum*—B. DUNGU, B. BRETT, R. MacDONALD, S. DEVILLE, L. DUPUIS, J. THERON & R.R. BRAGG 299–309

CpP23

Seroprevalence of *Cryptosporidium parvum* infection of dairy cows in three northern provinces of Thailand determined by enzyme-linked immunosorbent assay using recombinant antigen CpP23—T. INPANKAEW, S. JITTAPALAPONG, J. PHASUK, N. PINYOPANUWUT, W. CHIMNOI, C. KENGRADOMKIT, C. SUNANTA, G. ZHANG, G.O. ABOGE, Y. NISHIKAWA, I. IGARASHI & X. XUAN 161–165

***Crocodylus niloticus* (Nile crocodile)**

Identification and partial sequencing of a crocodile poxvirus associated with deeply penetrating skin lesions in farmed Nile crocodiles, *Crocodylus niloticus*—F.W. HUCHZERMEYER, D.B. WALLACE, J.F. PUTTERILL & G.H. GERDES .. 311–316

Crustacea

Ecological parameters of *Lamproglena hoi* (Copepoda: Lernaeidae) infection on the Bushveld smallscale yellowfish, *Labeobarbus polylepis* (Boulenger, 1907)—A. AUSTIN & A. AVENANT-OLDEWAGE 227–234

Cryptosporidium parvum

Seroprevalence of *Cryptosporidium parvum* infection of dairy cows in three northern provinces of Thailand determined by enzyme-linked immunosorbent assay using recombinant antigen CpP23—T. INPANKAEW, S. JITTAPALAPONG, J. PHASUK, N. PINYOPANUWUT, W. CHIMNOI, C. KENGRADOMKIT, C. SUNANTA, G. ZHANG, G.O. ABOGE, Y. NISHIKAWA, I. IGARASHI & X. XUAN 161–165

Cryptosporidium infection in non-human hosts in Malawi—Z. BANDA, ROSELY A.B. NICHOLS, A.M. GRIMASON & H.V. SMITH 363–375

***Culicoides* sp.**

Description and comparison of the pupae of a further two *Culicoides* (*Avaritia*) species from the dung of large herbivores in South Africa (Diptera: Ceratopogonidae)—HILDA NEVILL, E.M. NEVILL & G.J. VENTER 277–284

Curtisia dentata

Curtisia dentata (Cornaceae) leaf extracts and isolated compounds inhibit motility of parasitic and free-living nematodes—L.J. SHAI, E.S. BIZIMENYERA, V. BAGLA, L.J. McGAW & J.N. ELOFF 249–256

Cysticercosis

Prevalence of bovine cysticercosis and hydatidosis in Jimma municipal abattoir, South West Ethiopia—T. TOLOSA, W. TIGRE, G. TEKA & P. DORNY 323–326

Dairy cows

Seroprevalence of *Cryptosporidium parvum* infection of dairy cows in three northern provinces of Thailand determined by enzyme-linked immunosorbent assay using recombinant antigen CpP23—T. INPANKAEW, S. JITTAPALAPONG, J. PHASUK, N. PINYOPANUWUT, W. CHIMNOI, C. KENGRADOMKIT, C. SUNANTA, G. ZHANG, G.O. ABOGE, Y. NISHIKAWA, I. IGARASHI & X. XUAN 161–165

Dermatitis

Identification and partial sequencing of a crocodile poxvirus associated with deeply penetrating skin lesions in farmed Nile crocodiles, *Crocodylus niloticus*—F.W. HUCHZERMEYER, D.B. WALLACE, J.F. PUTTERILL & G.H. GERDES .. 311–316

Diptera

Description and comparison of the pupae of a further two *Culicoides* (*Avaritia*) species from the dung of large herbivores in South Africa (Diptera: Ceratopogonidae)—HILDA NEVILL, E.M. NEVILL & G.J. VENTER 277–284

Disease control policies

More appropriate disease control policies for the developing world—J.C. MARINER 135–140

Dogs

Species composition and geographic distribution of ticks infesting cattle, goats and dogs in a temperate and in a subtropical region of south-east Africa—I.G. HORAK, N. NYANGIWE, C. DE MATOS & L. NEVES 263–276

Domestic animals

A retrospective longitudinal study of animal and human rabies in Botswana 1989–2006—K.T. MOAGABO, K.B. MONYAME, E.K. BAIPOLEDI, M. LETSHWENYO, N. MAPITSE & J.M.K. HYERA 399–407

Dromaius novaehollandiae

Morphology of the tongue of the emu (*Dromaius novaehollandiae*). I. Gross anatomical features and topography—M.R. CROLE & J.T. SOLEY 335–345

Morphology of the tongue of the emu (*Dromaius novaehollandiae*). II. Histological features—M.R. CROLE & J.T. SOLEY 347–361

Drugs

Improved management of drugs, hormones and pesticides in Africa—E.S. MITEMA 155–159

Dung

Description and comparison of the pupae of a further two *Culicoides* (*Avaritia*) species from the dung of large herbivores in South Africa (Diptera: Ceratopogonidae)—HILDA NEVILL, E.M. NEVILL & G.J. VENTER 277–284

Echinococcus granulosus

Prevalence of bovine cysticercosis and hydatidosis in Jimma municipal abattoir, South West Ethiopia—T. TOLOSA, W. TIGRE, G. TEKA & P. DORNY 323–326

Ehrlichia ruminantium

Trends in the control of heartwater—B.A. ALLSOPP 81–88

Electron microscopy

Identification and partial sequencing of a crocodile poxvirus associated with deeply penetrating skin lesions in farmed Nile crocodiles, *Crocodylus niloticus*—F.W. HUCHZERMEYER, D.B. WALLACE, J.F. PUTTERILL & G.H. GERDES .. 311–316

Emu

Morphology of the tongue of the emu (*Dromaius novaehollandiae*). I. Gross anatomical features and topography—M.R. CROLE & J.T. SOLEY 335–345

Morphology of the tongue of the emu (*Dromaius novaehollandiae*). II. Histological features—M.R. CROLE & J.T. SOLEY 347–361

Endocrine disruptive compound/syndrome

Molasses as a possible cause of an "endocrine disruptive syndrome" in calves—M.S. MASGORET, C.J. BOTHA, J.G. MYBURGH, T.W. NAUDÉ, L. PROZESKY, V. NAIDOO, J.H. VAN WYK, E:J. POOL & G.E. SWAN 209–225

Enzyme-linked immunosorbent assay (ELISA)

Seroprevalence of *Cryptosporidium parvum* infection of dairy cows in three northern provinces of Thailand determined by enzyme-linked immunosorbent assay using recombinant antigen CpP23—T. INPANKAEW, S. JITTAPALAPONG, J. PHASUK, N. PINYOPANUWUT, W. CHIMNOI, C. KENGRADOMKIT, C. SUNANTA, G. ZHANG, G.O. ABOGE, Y. NISHIKAWA, I. IGARASHI & X. XUAN 161–165

Ethiopia

Prevalence of bovine cysticercosis and hydatidosis in Jimma municipal abattoir, South West Ethiopia—T. TOLOSA, W. TIGRE, G. TEKA & P. DORNY 323–326

Fish

Report on some monogenean and clinostomid infestations of freshwater fish and waterbird hosts in Middle Letaba Dam, Limpopo Province, South Africa—P.A.S. OLIVIER, WILMIEN J. LUUS-POWELL & J.E. SAAYMAN 187–199

Ecological parameters of *Lamproglena hoi* (Copepoda: Lernaeidae) infection on the Bushveld smallscale yellowfish, *Labeobarbus polylepis* (Boulenger, 1907)—A. AUSTIN & A. AVENANT-OLDEWAGE 227–234

Fluorescent antibody test

Evaluation of a rapid immunodiagnostic test kit for detection of African lyssaviruses from brain material—W. MARKOTTER, D. YORK, C.T. SABETA, W. SHUMBA, G. ZULU, K. LE ROUX & L.H. NEL 257–262

Genome sequencing

Identification and partial sequencing of a crocodile poxvirus associated with deeply penetrating skin lesions in farmed Nile crocodiles, *Crocodylus niloticus*—F.W. HUCHZERMEYER, D.B. WALLACE, J.F. PUTTERILL & G.H. GERDES 311–316

Goats

The comparative prevalence of five ixodid tick species infesting cattle and goats in Maputo Province, Mozambique—C. DE MATOS, C. SITOE, L. NEVES, J.O. NÖTHLING & I.G. HORAK 201–208

Species composition and geographic distribution of ticks infesting cattle, goats and dogs in a temperate and in a subtropical region of south-east Africa—I.G. HORAK, N. NYANGIWE, C. DE MATOS & L. NEVES 263–276

Responses of serum electrolytes of goats to twelve hours of road transportation during the hot-dry season in Nigeria, and the effect of pretreatment with ascorbic acid—J.O. AYO, N.S. MINKA, A.K.B. SACKEY & A.B. ADELAIYE 409–418

Heartwater

Persistence mechanisms in tick-borne diseases—A.F. BARBET 53–58

Trends in the control of heartwater—B.A. ALLSOPP 81–88

Herbivores

Description and comparison of the pupae of a further two *Culicoides* (*Avaritia*) species from the dung of large herbivores in South Africa (Diptera: Ceratopogonidae)—HILDA NEVILL, E.M. NEVILL & G.J. VENTER 277–284

Holstein calves

Molasses as a possible cause of an "endocrine disruptive syndrome" in calves—M.S. MASGORET, C.J. BOTHA, J.G. MYBURGH, T.W. NAUDÉ, L. PROZESKY, V. NAIDOO, J.H. VAN WYK, E.J. POOL & G.E. SWAN 209–225

Hormones

Improved management of drugs, hormones and pesticides in Africa—E.S. MITEMA 155–159

Human tuberculosis (HTB)

The pathology of tuberculosis caused by *Mycobacterium tuberculosis* in a herd of semi-free-ranging springbok (*Antidorcas marsupialis*)—T.A. GOUS & M.C. WILLIAMS 419–441

***Hyalomma* sp.**

Ticks collected from birds in the northern provinces of South Africa, 2004–2006—G. HASLE, I.G. HORAK, G. GRIEVE, H.P. LEINAAS & F. CLARKE 167–175

Ticks (Acari: Ixodidae) infesting camels (*Camelus dromedarius*) in Northern Sudan—A. ELGHALI & S.M. HASSAN .. 177–185

Tick infestation, and udder and teat damage in selected cattle herds of Matabeleland South, Zimbabwe—D.N. NDHLOVU, P.V. MAKAYA & B.L. PENZHORN 235–248

Hydatidosis

Prevalence of bovine cysticercosis and hydatidosis in Jimma municipal abattoir, South West Ethiopia—T. TOLOSA, W. TIGRE, G. TEKA & P. DORNY 323–326

Imicola complex

Description and comparison of the pupae of a further two *Culicoides* (*Avaritia*) species from the dung of large herbivores in South Africa (Diptera: Ceratopogonidae)—HILDA NEVILL, E.M. NEVILL & G.J. VENTER 277–284

International trade in animals

The role of the World Organisation for Animal Health (OIE) to facilitate the international trade in animals and animal products—G.K. BRÜCKNER 141–146

ITS1 rDNA PCR test

Detection of natural *Trypanosoma vivax* infections in pigs with microhaematocrit centrifugation and amplification of ITS1 rDNA—S. BIRYOMUMAISHO, S.E. MELVILLE, E. KATUNGUKA-RWAKISHAYA & G.W. LUBEGA 285–289

Labeobarbus polylepis

Ecological parameters of *Lamproglena hoi* (Copepoda: Lernaeidae) infection on the Bushveld smallscale yellowfish, *Labeobarbus polylepis* (Boulenger, 1907)—A. AUSTIN & A. AVENANT-OLDEWAGE 227–234

Lamproglena hoi

Ecological parameters of *Lamproglena hoi* (Copepoda: Lernaeidae) infection on the Bushveld smallscale yellowfish, *Labeobarbus polylepis* (Boulenger, 1907)—A. AUSTIN & A. AVENANT-OLDEWAGE 227–234

Liver disease

The effect of pyridoxal-5-phosphate on serum alanine aminotransferase activity in dogs suffering from canine babesiosis—E.C. MYBURGH & A. GODDARD 327–333

Livestock

Cryptosporidium infection in non-human hosts in Malawi—Z. BANDA, ROSELY A.B. NICHOLS, A.M. GRIMASON & H.V. SMITH 363–375

Livestock policy

Livestock policy and trade issues in SADC—B. HULMAN 147–153

Lungsickness

Contagious bovine pleuropneumonia (lungsickness) in Africa—W. AMANFU 13–17

Lupeol

Curtisia dentata (Cornaceae) leaf extracts and isolated compounds inhibit motility of parasitic and free-living nematodes—L.J. SHAI, E.S. BIZIMENYERA, V. BAGLA, L.J. McGAW & J.N. ELOFF 249–256

Lyssavirus

Evaluation of a rapid immunodiagnostic test kit for detection of African lyssaviruses from brain material—W. MARKOTTER, D. YORK, C.T. SABETA, W. SHUMBA, G. ZULU, K. LE ROUX & L.H. NEL 257–262

A retrospective longitudinal study of animal and human rabies in Botswana 1989–2006—K.T. MOAGABO, K.B. MONYAME, E.K. BAIPOLEDI, M. LETSHWENYO, N. MAPITSE & J.M.K. HYERA 399–407

Malawi

Cryptosporidium infection in non-human hosts in Malawi—Z. BANDA, ROSELY A.B. NICHOLS, A.M. GRIMASON & H.V. SMITH 363–375

Medicinal plants

Traditional remedies used for the treatment of cattle wounds and myiasis in Amatola Basin, Eastern Cape Province, South Africa—O.T. SOYELU & P.J. MASIKA 393–397

Microhaematocrit centrifugation technique (MHCT)

Detection of natural *Trypanosoma vivax* infections in pigs with microhaematocrit centrifugation and amplification of ITS1 rDNA—S. BIRYOMUMAISHO, S.E. MELVILLE, E. KATUNGUKA-RWAKISHAYA & G.W. LUBEGA 285–289

Migration

Ticks collected from birds in the northern provinces of South Africa, 2004–2006—G. HASLE, I.G. HORAK, G. GRIEVE, H.P. LEINAAS & F. CLARKE 167–175

Molasses

Molasses as a possible cause of an "endocrine disruptive syndrome" in calves—M.S. MASGORET, C.J. BOTHA, J.G. MYBURGH, T.W. NAUDÉ, L. PROZESKY, V. NAIDOO, J.H. VAN WYK, E.J. POOL & G.E. SWAN 209–225

Monogenea

Report on some monogenean and clinostomid infestations of freshwater fish and waterbird hosts in Middle Letaba Dam, Limpopo Province, South Africa—P.A.S. OLIVIER, WILMIEN J. LUUS-POWELL & J.E. SAAYMAN 187–199

Mozambique

The comparative prevalence of five ixodid tick species infesting cattle and goats in Maputo Province, Mozambique—C. DE MATOS, C. SITOE, L. NEVES, J.O. NÖTHLING & I.G. HORAK 201–208

Species composition and geographic distribution of ticks infesting cattle, goats and dogs in a temperate and in a subtropical region of south-east Africa—I.G. HORAK, N. NYANGIWE, C. DE MATOS & L. NEVES 263–276

Mycobacterium tuberculosis

The pathology of tuberculosis caused by *Mycobacterium tuberculosis* in a herd of semi-free-ranging springbok (*Antidorcas marsupialis*)—T.A. GOUS & M.C. WILLIAMS 419–441

Mycoplasma mycoides

Contagious bovine pleuropneumonia (lungsickness) in Africa—W. AMANFU 13–17

Myiasis

Traditional remedies used for the treatment of cattle wounds and myiasis in Amatola Basin, Eastern Cape Province, South Africa—O.T. SOYELU & P.J. MASIKA 393–397

NAD-independent strain

Study on the efficacy and safety of different antigens and oil formulations of infectious coryza vaccines containing an NAD-independent strain of *Avibacterium paragallinarum*—B. DUNGU, B. BRETT, R. MacDONALD, S. DEVILLE, L. DUPUIS, J. THERON & R.R. BRAGG 299–309

Nematodes

Curtisia dentata (Cornaceae) leaf extracts and isolated compounds inhibit motility of parasitic and free-living nematodes—L.J. SHAI, E.S. BIZIMENYERA, V. BAGLA, L.J. McGAW & J.N. ELOFF 249–256

Nigeria

Responses of serum electrolytes of goats to twelve hours of road transportation during the hot-dry season in Nigeria, and the effect of pretreatment with ascorbic acid—J.O. AYO, N.S. MINKA, A.K.B. SACKEY & A.B. ADELAIYE 409–418

Onderstepoort

Theiler and the 'Spirit of Onderstepoort'—R.D. BIGALKE 3–7

History of bluetongue research at Onderstepoort—D.W. VERWOERD 99–102

Oocysts

Cryptosporidium infection in non-human hosts in Malawi—Z. BANDA, ROSELY A.B. NICHOLS, A.M. GRIMASON & H.V. SMITH 363–375

Ornithodoros porcinus

Molecular monitoring of African swine fever virus using surveys targeted at adult *Ornithodoros* ticks: a re-evaluation of Mkuze Game Reserve, South Africa—L.F. ARNOT, J.T. DU TOIT & A.D.S. BASTOS 385–392

Ovine heart

The Brody effect induced by premature ventricular complexes in the ovine heart—J. KER, E.C. WEBB & D. VAN PAPENDORP 443–448

Ovine trypanosomosis

Comparative histopathology of the lymph nodes, spleen, liver and kidney in experimental ovine trypanosomosis—S.O. OMOTAINSE & V.O. ANOSA 377–383

***Panthera leo* (lions)**

Blood platelet counts, morphology and morphometry in lions, *Panthera leo*—L. DU PLESSIS 317–321

Parasites

Report on some monogenean and clinostomid infestations of freshwater fish and waterbird hosts in Middle Letaba Dam, Limpopo Province, South Africa—P.A.S. OLIVIER, WILMIEN J. LUUS-POWELL & J.E. SAAYMAN 187–199

Curtisia dentata (Cornaceae) leaf extracts and isolated compounds inhibit motility of parasitic and free-living nematodes—L.J. SHAI, E.S. BIZIMENYERA, V. BAGLA, L.J. McGAW & J.N. ELOFF 249–256

Passerines

Ticks collected from birds in the northern provinces of South Africa, 2004–2006—G. HASLE, I.G. HORAK, G. GRIEVE, H.P. LEINAAS & F. CLARKE 167–175

PCR

Molecular monitoring of African swine fever virus using surveys targeted at adult *Ornithodoros* ticks: a re-evaluation of Mkuze Game Reserve, South Africa—L.F. ARNOT, J.T. DU TOIT & A.D.S. BASTOS 385–392

Pesticides

Improved management of drugs, hormones and pesticides in Africa—E.S. MITEMA 155–159

Pigs

Detection of natural *Trypanosoma vivax* infections in pigs with microhaematocrit centrifugation and amplification of ITS1 rDNA—S. BIRYOMUMAISHO, S.E. MELVILLE, E. KATUNGUKA-RWAKISHAYA & G.W. LUBEGA 285–289

The effects of low levels of dietary trace minerals on the plasma levels, faecal excretion, health and performance of pigs in a hot African climate—M.H. BOMA & G. BILKEI 291–297

Plant poisoning

Poisonous plants—T.S. KELLERMAN 19–23

Policy and trade issues

Currently important animal disease management issues in sub-Saharan Africa—G.R. THOMSON 129–134

More appropriate disease control policies for the developing world—J.C. MARINER 135–140

The role of the World Organisation for Animal Health (OIE) to facilitate the international trade in animals and animal products—G.K. BRÜCKNER 141–146

Livestock policy and trade issues in SADC—B. HULMAN 147–153

Improved management of drugs, hormones and pesticides in Africa—E.S. MITEMA 155–159

Poxvirus

Identification and partial sequencing of a crocodile poxvirus associated with deeply penetrating skin lesions in farmed Nile crocodiles, *Crocodylus niloticus*—F.W. HUCHZERMEYER, D.B. WALLACE, J.F. PUTTERILL & G.H. GERDES .. 311–316

Premature ventricular complex

The Brody effect induced by premature ventricular complexes in the ovine heart—J. KER, E.C. WEBB & D. VAN PAPENDORP 443–448

Pupae

Description and comparison of the pupae of a further two *Culicoides* (*Avaritia*) species from the dung of large herbivores in South Africa (Diptera: Ceratopogonidae)—HILDA NEVILL, E.M. NEVILL & G.J. VENTER 277–284

Pyridoxal-5-phosphate

The effect of pyridoxal-5-phosphate on serum alanine aminotransferase activity in dogs suffering from canine babesiosis—E.C. MYBURGH & A. GODDARD 327–333

QRS amplitude

The Brody effect induced by premature ventricular complexes in the ovine heart—J. KER, E.C. WEBB & D. VAN PAPENDORP 443–448

Rabies

Evaluation of a rapid immunodiagnostic test kit for detection of African lyssaviruses from brain material—W. MARKOTTER, D. YORK, C.T. SABETA, W. SHUMBA, G. ZULU, K. LE ROUX & L.H. NEL 257–262

A retrospective longitudinal study of animal and human rabies in Botswana 1989–2006—K.T. MOAGABO, K.B. MONYAME, E.K. BAIPOLEDI, M. LETSHWENYO, N. MAPITSE & J.M.K. HYERA 399–407

Rapid test

Evaluation of a rapid immunodiagnostic test kit for detection of African lyssaviruses from brain material—W. MARKOTTER, D. YORK, C.T. SABETA, W. SHUMBA, G. ZULU, K. LE ROUX & L.H. NEL 257–262

Ratites

Morphology of the tongue of the emu (*Dromaius novaehollandiae*). I. Gross anatomical features and topography—M.R. CROLE & J.T. SOLEY 335–345

Morphology of the tongue of the emu (*Dromaius novaehollandiae*). II. Histological features—M.R. CROLE & J.T. SOLEY 347–361

***Rhipicephalus* sp./spp.**

Ticks (Acari: Ixodidae) infesting camels (*Camelus dromedarius*) in Northern Sudan—A. ELGHALI & S.M. HASSAN .. 177–185

The comparative prevalence of five ixodid tick species infesting cattle and goats in Maputo Province, Mozambique—C. DE MATOS, C. SITOE, L. NEVES, J.O. NÖTHLING & I.G. HORAK 201–208

Tick infestation, and udder and teat damage in selected cattle herds of Matabeleland South, Zimbabwe—D.N. NDHLOVU, P.V. MAKAYA & B.L. PENZHORN 235–248

Species composition and geographic distribution of ticks infesting cattle, goats and dogs in a temperate and in a subtropical region of south-east Africa—I.G. HORAK, N. NYANGIWE, C. DE MATOS & L. NEVES 263–276

Rinderpest

Rinderpest: An historical overview—P. ROEDER 9

Serum electrolytes

Responses of serum electrolytes of goats to twelve hours of road transportation during the hot-dry season in Nigeria, and the effect of pretreatment with ascorbic acid—J.O. AYO, N.S. MINKA, A.K.B. SACKEY & A.B. ADELAIYE 409–418

Sheep

Comparative histopathology of the lymph nodes, spleen, liver and kidney in experimental ovine trypanosomosis—S.O. OMOTAINSE & V.O. ANOSA 377–383

South Africa

A century of tick taxonomy in South Africa—I.G. HORAK 69–74

The future of private veterinary practice in South Africa—C. MARWICK 123–125

Ticks collected from birds in the northern provinces of South Africa, 2004–2006—G. HASLE, I.G. HORAK, G. GRIEVE, H.P. LEINAAS & F. CLARKE 167–175

Report on some monogenean and clinostomid infestations of freshwater fish and waterbird hosts in Middle Letaba Dam, Limpopo Province, South Africa—P.A.S. OLIVIER, WILMIEN J. LUUS-POWELL & J.E. SAAYMAN 187–199

Ecological parameters of *Lamproglena hoi* (Copepoda: Lernaeidae) infection on the Bushveld smallscale yellowfish, *Labeobarbus polylepis* (Boulenger, 1907)—A. AUSTIN & A. AVENANT-OLDEWAGE 227–234

Species composition and geographic distribution of ticks infesting cattle, goats and dogs in a temperate and in a subtropical region of south-east Africa—I.G. HORAK, N. NYANGIWE, C. DE MATOS & L. NEVES 263–276

Description and comparison of the pupae of a further two *Culicoides* (*Avaritia*) species from the dung of large herbivores in South Africa (Diptera: Ceratopogonidae)—HILDA NEVILL, E.M. NEVILL & G.J. VENTER 277–284

Molecular monitoring of African swine fever virus using surveys targeted at adult *Ornithodoros* ticks: a re-evaluation of Mkuze Game Reserve, South Africa—L.F. ARNOT, J.T. DU TOIT & A.D.S. BASTOS 385–392

Traditional remedies used for the treatment of cattle wounds and myiasis in Amatola Basin, Eastern Cape Province, South Africa—O.T. SOYELU & P.J. MASIKA 393–397

South African Development Community (SADC)

Livestock policy and trade issues in SADC—B. HULMAN 147–153

Sudan

Ticks (Acari: Ixodidae) infesting camels (*Camelus dromedarius*) in Northern Sudan—A. ELGHALI & S.M. HASSAN .. 177–185

Taenia saginata

Prevalence of bovine cysticercosis and hydatidosis in Jimma municipal abattoir, South West Ethiopia—T. TOLOSA, W. TIGRE, G. TEKA & P. DORNY 323–326

Teat damage

Tick infestation, and udder and teat damage in selected cattle herds of Matabeleland South, Zimbabwe—D.N. NDHLOVU, P.V. MAKAYA & B.L. PENZHORN 235–248

Thailand

Seroprevalence of *Cryptosporidium parvum* infection of dairy cows in three northern provinces of Thailand determined by enzyme-linked immunosorbent assay using recombinant antigen CpP23—T. INPANKAEW, S. JITTAPALAPONG, J. PHASUK, N. PINYOPANUWUT, W. CHIMNOI, C. KENGRADOMKIT, C. SUNANTA, G. ZHANG, G.O. ABOGE, Y. NISHIKAWA, I. IGARASHI & X. XUAN 161–165

Theiler

Theiler and the 'Spirit of Onderstepoort'—R.D. BIGALKE 3–7

Sir Arnold Theiler and the discovery of anaplasmosis: A centennial perspective—G.H. PALMER 75–79

Tick-borne diseases

Economic impacts of tick-borne diseases in Africa—B.D. PERRY 49

Trends in the control of theileriosis in sub-Saharan Africa—D. McKEEVER 51

Persistence mechanisms in tick-borne diseases—A.F. BARBET 53–58

Canine babesiosis—J.P. SCHOEMAN 59–66

Sir Arnold Theiler and the discovery of anaplasmosis: A centennial perspective—G.H. PALMER 75–79

Trends in the control of heartwater—B.A. ALLSOPP 81–88

Ticks

A century of tick taxonomy in South Africa—I.G. HORAK 69–74

Ticks collected from birds in the northern provinces of South Africa, 2004–2006—G. HASLE, I.G. HORAK, G. GRIEVE, H.P. LEINAAS & F. CLARKE 167–175

Ticks (Acari: Ixodidae) infesting camels (*Camelus dromedarius*) in Northern Sudan—A. ELGHALI & S.M. HASSAN .. 177–185

Tick infestation, and udder and teat damage in selected cattle herds of Matabeleland South, Zimbabwe—D.N. NDHLOVU, P.V. MAKAYA & B.L. PENZHORN 235–248

Species composition and geographic distribution of ticks infesting cattle, goats and dogs in a temperate and in a sub-tropical region of south-east Africa—I.G. HORAK, N. NYANGIWE, C. DE MATOS & L. NEVES 263–276

Molecular monitoring of African swine fever virus using surveys targeted at adult *Ornithodoros* ticks: a re-evaluation of Mkuze Game Reserve, South Africa—L.F. ARNOT, J.T. DU TOIT & A.D.S. BASTOS 385–392

Tongue

Morphology of the tongue of the emu (*Dromaius novaehollandiae*). I. Gross anatomical features and topography—M.R. CROLE & J.T. SOLEY 335–345

Morphology of the tongue of the emu (*Dromaius novaehollandiae*). II. Histological features—M.R. CROLE & J.T. SOLEY 347–361

Traditional remedies

Traditional remedies used for the treatment of cattle wounds and myiasis in Amatola Basin, Eastern Cape Province, South Africa—O.T. SOYELU & P.J. MASIKA 393–397

Transboundary diseases

African horsesickness—B.J. ERASMUS 97

African swine fever—M-L. PENRITH 91–95

History of bluetongue research at Onderstepoort—D.W. VERWOERD 99–102

Transportation stress

Responses of serum electrolytes of goats to twelve hours of road transportation during the hot-dry season in Nigeria, and the effect of pretreatment with ascorbic acid—J.O. AYO, N.S. MINKA, A.K.B. SACKEY & A.B. ADELAIYE 409–418

***Trypanosoma* sp.**

Detection of natural *Trypanosoma vivax* infections in pigs with microhaematocrit centrifugation and amplification of ITS1 rDNA—S. BIRYOMUMAISHO, S.E. MELVILLE, E. KATUNGUKA-RWAKISHAYA & G.W. LUBEGA 285–289

Comparative histopathology of the lymph nodes, spleen, liver and kidney in experimental ovine trypanosomosis—S.O. OMOTAINSE & V.O. ANOSA 377–383

Tsetse and trypanosomosis control

Assessing the economics of animal trypanosomosis in Africa—history and current perspectives—A.P.M. SHAW 27–32

The genetics of African trypanosomes—A. TAIT 33

Tsetse and trypanosomosis in Africa: The challenges, the opportunities—A.A. ILEMOBADE 35–40

Prospects for controlling trypanosomosis—G.A. VALE 41–45

Udder damage

Tick infestation, and udder and teat damage in selected cattle herds of Matabeleland South, Zimbabwe—D.N. NDHLOVU, P.V. MAKAYA & B.L. PENZHORN 235–248

Uganda

Detection of natural *Trypanosoma vivax* infections in pigs with microhaematocrit centrifugation and amplification of ITS1 rDNA—S. BIRYOMUMAISHO, S.E. MELVILLE, E. KATUNGUKA-RWAKISHAYA & G.W. LUBEGA 285–289

Ursolic acid

Curtisia dentata (Cornaceae) leaf extracts and isolated compounds inhibit motility of parasitic and free-living nematodes—L.J. SHAI, E.S. BIZIMENYERA, V. BAGLA, L.J. McGAW & J.N. ELOFF 249–256

Vaccines

Trends in the control of heartwater—B.A. ALLSOPP 81–88

Study on the efficacy and safety of different antigens and oil formulations of infectious coryza vaccines containing an NAD-independent strain of *Avibacterium paragallinarum*—B. DUNGU, B. BRETT, R. MacDONALD, S. DEVILLE, L. DUPUIS, J. THERON & R.R. BRAGG 299–309

Vector-borne diseases

Assessing the economics of animal trypanosomosis in Africa—history and current perspectives—A.P.M. SHAW 27–32

The genetics of African trypanosomes—A. TAIT 33

Tsetse and trypanosomosis in Africa: The challenges, the opportunities—A.A. ILEMOBADE 35–40

Prospects for controlling trypanosomosis—G.A. VALE 41–45

Warthogs

Molecular monitoring of African swine fever virus using surveys targeted at adult *Ornithodoros* ticks: a re-evaluation of Mkuze Game Reserve, South Africa—L.F. ARNOT, J.T. DU TOIT & A.D.S. BASTOS 385–392

Wildlife

Blood platelet counts, morphology and morphometry in lions, *Panthera leo*—L. DU PLESSIS 317–321

A retrospective longitudinal study of animal and human rabies in Botswana 1989–2006—K.T. MOAGABO, K.B. MONYAME, E.K. BAIPOLEDI, M. LETSHWENYO, N. MAPITSE & J.M.K. HYERA 399–407

The pathology of tuberculosis caused by *Mycobacterium tuberculosis* in a herd of semi-free-ranging springbok (*Antidorcas marsupialis*)—T.A. GOUS & M.C. WILLIAMS 419–441

Molecular monitoring of African swine fever virus using surveys targeted at adult *Ornithodoros* ticks: a re-evaluation of Mkuze Game Reserve, South Africa—L.F. ARNOT, J.T. DU TOIT & A.D.S. BASTOS 385–392

World Organisation for Animal Health (OIE)

The role of the World Organisation for Animal Health (OIE) to facilitate the international trade in animals and animal products—G.K. BRÜCKNER 141–146

Zimbabwe

Tick infestation, and udder and teat damage in selected cattle herds of Matabeleland South, Zimbabwe—D.N. NDHLOVU, P.V. MAKAYA & B.L. PENZHORN 235–248